

Literature list, direct PNF related in subsections:

Disclaimer:

The IPNFA includes these PNF and PNF related texts for your reference/information and is not responsible for the content, scientific background and terminology used in these publications.

Philosophy

Functional approach

1. Smedes F, Heidmann M, Schäfer C, Fischer N, Stepien A. The proprioceptive neuromuscular facilitation-concept; the state of the evidence, a narrative review. *Physical Therapy Reviews* 2016; 21(1):17-31 DOI:10.1080/10833196.2016.1216764
2. Smedes F, Functioneel oefenen, de betekenis van het functioneel oefenen binnen het PNF concept. *FysioPraxis* 2002 (11) 9-11 (functional exercise, the meaning for PNF)

Treating the total human being

3. Burke RE. Sir Charles Sherrington's the integrative action of the nervous system: A centenary appreciation. *Brain* 2007;130:887–94.
<https://doi.org/10.1093/brain/awm022>.
4. Clark, Treleaven, Röijezon, Proprioception in musculoskeletal rehabilitation. Part 2 Basic science and principles of assessment and clinical Interventions. *Manuel Therapy* 2015(20) 378- 387
5. Prochazka A. Proprioception: clinical relevance and neurophysiology. *Curr Opin Physiol* 2021;23:100440. <https://doi.org/10.1016/j.cophys.2021.05.003>.
6. Röijezon, Clark, Treleaven. Proprioception in musculoskeletal rehabilitation. Part 1 Basic science and principles of assessment and clinical interventions. *Manuel Therapy* 2015(20) 368-377
7. Smedes F, PNF beter (be)grijpen. *FysioPraxis* 2001 (12) 42-46. (Better understanding of PNF)
8. Westwater-Wood S, Adams N, Kerry R. The use of proprioceptive neuromuscular facilitation in physiotherapy practice *Physical Therapy Reviews* 2010 VOL.15. (1) 23-28

Use of motor learning and motor control principles

9. Atun-Einy O, Kafri M. Implementation of motor learning principles in physical therapy practice, survey of PT's perceptions and reported implementation. *Phys Theory and Practice* 2019;34(7):633-44
10. Luft CDB. Learning from FB. The neural mechanisms of fb processing facilitating beter performance. *Behavioural Brain Research* 2014(261) 356– 368
11. Cauraugh J H, Kim S B. Stroke motor recovery: active neuromuscular stimulation and repetitive practice schedules. *J Neurol Neurosurg Psychiatry* 2003;74:1562–1566
12. Celnik P, Stefan K et al. Encoding a motor memory in the older adult by action observation. *NeuroImage* 2006 (29) 677 – 684
13. Charlton JL, Motor control issues and clinical applications. *Physiotherapie theory and practice* 1994 (10) 185-190
14. Corcos DM, Strategies underlying the control of disordered movement. *Physical Therapy* 1991 (71) 25-38

15. Filimon F, et al. Human cortical representations for reaching mirror neurons for execution, observation and imagery. *Neuroimage*. 2007 37(4): 1315–1328
16. Frank JS, Earl M, Coördination of posture and movement. *Physical Therapy* 1990 (12) 109-117
17. Frey SH, Fogassi L, Grafton S, Picard N, Rothwell JC, Schweighofer N, Corbetta M, Fitzpatrick SM. Neurological Principles and Rehabilitation of Action Disorders : Computation, Anatomy, and Physiology (CAP) Model *Neurorehabil Neural Repair* 2011; 25: 6-20
18. Grafton ST, Salidis J, Willingham DB. Motor Learning of Compatible and Incompatible Visuomotor Maps *Journal of Cognitive Neuroscience* 2001 13:2, 217–231
19. Halsband U, Lange RK. Motor learning in man: A review of functional and clinical studies. *Journal of PhysiologyParis* 2006 (99) 414-424
20. Hecht H, Prinz W, Vogt S. Motor Learning enhances perceptual judgment. a case for action-perception transfer. *Psychological research* 2001(65) 3-14
21. Jie L-J, Kleynen M, Meijer K, Beurskens A, Braun S. Implicit and explicit motor learning interventions have similar effects on walking speed in people after stroke: a randomized controlled single blind trial. MedRxiv 2019:19008797. <https://doi.org/10.1101/19008797>.
22. Kesar TM, Sauer MJ, Binder-Macleod SA et al. Motor learning during post stroke gait rehabilitation: A case study. *J Neurological PT* 2014; 38:183-189
23. Kleyenen M, Beurskens A, Olijve H, Kamphuis J, Braun S. Application of motor learning in neurorehabilitation, a framework for health-care professionals *Physiotherapie theory and practice* 2018 DOI: [10.1080/09593985.2018.1483987](https://doi.org/10.1080/09593985.2018.1483987)
24. Krakauer JW. Motor learning: its relevance to stroke recovery and neurorehabilitation. *Current Opinion in Neurology* 2006, 19:84–90
25. Latash ML, Levin MF, Scholz JP, Schöner G. Motor control theories and their applications. *Medicina (Kaunas)* 2010;46(6):382-92
26. Lee TD, Swanson LR, Hall AL, What is repeated in a repetition? Effects of practice conditions on motor skill acquisition. *Physical Therapy* 1991 (71) 150-156
27. Malouin F, Jackson PL, Richards CL. Towards the integration of mental practice in rehab programs. a critical review. *Frontiers in Human Neuroscience* 2013 (9) 01-20
28. Marks R, Peripheral mechanisms underlying the signaling of joint position. *NZ Journal of Physiotherapy* 1997 April
29. Mulder T, A process- oriented model of human motor behaviour: toward a theory-based rehabilitation approach. *Physical Therapy* 1991 (2) 82-89.
30. Newell KM, Vaillancourt DE. Dimensional change in motor learning. *Human Movement Science* 2001 (20) 695-715
31. Rokni U et al. Motor Learning with Unstable Neural Representations *Neuron* 2007 (54) 653–666
32. Spampinato D, Celnik P. Multiple Motor Learning Processes in Humans: Defining Their Neurophysiological Bases. *Neuroscientist* 2021;27:246–67. <https://doi.org/10.1177/1073858420939552>.
33. Sanes JN, Donoghue JP. Plasticity and Primary Motor Cortex. *Annu. Rev. Neurosci.* 2000. 23:393–415
34. Stanley J, Krakauer JW. Motor skill depends on knowledge of facts. *Frontiers in Human Neuroscience* 2013 (8) 01-11
35. Stefan K, Classen J, Celnik P, Cohen LG. Concurrent action observation modulates practice-induced motor memory formation. *European Journal of Neuroscience* 2008 (27) 730–738

36. Sugawara K. Change in motor cortex activation for muscle release by motor learning. *Phys Ther Res* 2020;23:106–12. <https://doi.org/10.1298/ptr.r0010>.
37. Taub E, et al. An operant approach to rehab medicine, overcoming learned nonuse by shaping. *Journal of experimental analysis of behaviour*. 1994 (61) 281-293
38. Taylor JA, Ivry RB. The role of strategies in motor learning *Ann. N.Y. Acad. Sci.* 2012 doi: 10.1111/j.1749-6632.2011.06430.x
39. Vereijken B, Whiting HTA, Newell KM. Free(z)ing Degrees of Freedom in Skill Acquisition. *Journal of Motor Behavior* 1992 (24) 1, 133-142
40. Vereijken et al. Changing coordinative structures in complex skill acquisition. *Human Movement Science* 1997 (16) 823-844
41. Vereijken B, Van Emmerik REA, Bongaardt R, Beek WJ , K.M. Newell. Changing coordinative structures in complex skill Acquisition. *Human Movement Science* 1997 (16) 823-844
42. Vliet van PM, Wulf G. Extrinsic feedback for motor learning after stroke what is the evidence. *Disability and Rehabilitation* 2006 (28) 831 – 840
43. Waddell KJ, Strube MJ, Bailey RR et al. Does task-specific training improve upper limb performance in daily life post stroke? *Neurorehabilitation and Neural Repair* 2017, Vol. 31(3) 290-300, doi: 10.1177/1545968316680493
44. Winstein CJ, Knowledge of results and motor learning - Implications for physical therapy. *Physical Therapy* 1991 (71) 140-149.
45. Wulf G, Höss M, Prinz W. instructions for motor learning differential effect for internal versus external focus of attention. *Journal of motor behavior* 1998 (30) 2
46. Wulf G, Shea C, Lewthwaite R. Motor Learning and Performance: A Review of Influential Factors. *Medical Education* 2010;44:75–84
47. Wulf G, Lewthwaite R. Optimizing performance through intrinsic motivation and attention for learning: The OPTIMAL theory of motor learning. *Psychon Bull Rev* 2016; 23:1382–1414
48. Yoshida N, Suzuki T, Ogahara K, Higashi T, Sugawara K. Somatosensory temporal discrimination threshold changes during motor learning. *Somatosens Mot Res* 2020;37:313–9. <https://doi.org/10.1080/08990220.2020.1830755>.
49. Zwicker JG, Harris SR. A reflection on motor learning theory in pediatric occupational therapy practice. *Canadian journal of Occupational Therapy* 2009 (76) 1 29-37

Basic procedures

Tactile stimulus

50. Fallon JB et al. Evidence for Strong Synaptic Coupling Between Single Tactile Afferents From the Sole of the Foot and Motoneurons Supplying Leg Muscles. *J Neurophysiol* 2005 (94) 3795–3804
51. Jeka JJ, Lackner JR. Fingertip contact influences human postural control 1994. *Exp Brain Res* 1994 (100) 495-502
52. Saradjian AH, Tremblay L, Perrier J, Blouin J, Mouchnino L. Cortical facilitation of proprioceptive inputs related to gravitational balance constraints during step preparation. *J Neurophysiol* 2013;110: 397–407

Verbal stimulus

53. Sadowski J, Mastalerz A, Niznikowski, Wisniowski W, Biegajlo M, Kulik M. The effects of different types of verbal feedback on learning a complex movement task. *Polish Journal of Sports and Tourism*. 2011;18:308-310

Visual stimulus

54. Mohapatra S, Krishnan V, and Aruin AS. The effect of decreased visual acuity on control of posture *Clin Neurophysiol.* 2012 January ; 123(1): 173–182
55. Prodoehl J, Vaillancourt DE. Effects of visual gain on force control at the elbow and ankle *Exp Brain Res.* 2010; 200(1): 67–79.
56. Ramachandran VS, Altschuler EL. The use of visual feedback, in particular mirror visual feedback, in restoring brain function. *Brain* 2009: 132; 1693–1710

Resistance

57. Gabriel DA, Kamen G, Frost G: Neural adaptations to resistive exercise, mechanisms and recommendations for training practices. *Sports Med* 2006 (2) 183-189
58. Kofotolis N, Vrabas IS, Vamvakoudis E, Papanikolaou A, Mandroukas K: Proprioceptive neuromuscular facilitation training induced alterations in muscle fiber type and cross sectional area. *British Journal of Sports Medicine* 2005 (3):e11.

Approximation

59. Fitts RH1, Riley DR, Widrick JJ. Functional and structural adaptations of skeletal muscle to microgravity. *J Exp Biol.* 2001 Sep;204(Pt 18):3201-8.
60. Horstmann GA1, Dietz V. A basic posture control mechanism: the stabilization of the centre of gravity. *Electroencephalogr Clin Neurophysiol.* 1990;76(2):165-176
61. Mahani MK, Karimloo M, Amirjalili S. Effects of Modified Adeli Suit Therapy on Improvement of Gross Motor Function in Children With Cerebral Palsy. *Cerebral Palsy Hong Kong Journal of Occupational Therapy*, 2010 (21),1:9-14
62. Ratliffe KT, Alba BM, Hallum A, Jewell MJ. Effects of approximation on postural sway in healthy subjects. *Phys Ther.* 1987;67(4):502-6.
63. Shin WS, Lee SW, Effect of gait training with additional weight on balance and gait in stroke patients. *Phys Ther Rehab Sci.*2014(3);1:55-62
64. Sylos-Labini F, Lacquaniti F, and Ivanenko YP. Human Locomotion under Reduced Gravity Conditions: Biomechanical and Neurophysiological Considerations. *BioMed Research International* 2014 DOI:10.1155/2014/547242
65. Yigiter K, Sener G, Erbahceci F, Bayar K, Ülger ÖG, Akodogan S: A comparison of traditional prosthetic training versus PNF resistive gait training with trans-femoral amputees. *Prosthetics and orthotics international* 2002;26(3):213-217

Pattern

66. Lial L, Moreira R, Correia L. Proprioceptive neuromuscular facilitation increases alpha absolute power in the dorsolateral prefrontal cortex and superior parietal cortex. *Somatosensory & motor research*, 2017; 34(3): 204–212, doi.org/10.1080/08990220.2017.1392298
67. Moreira et al. Diagonal movement of the upper limb produces greater adaptive plasticity than sagittal plane flexion in the shoulder. *Neuroscience Letters* 2017,643:8–15
68. Mc Mullen J, Uhl TL: A kinetic chain approach for shoulder rehabilitation. *Journal of athletic training* 2000;35(3):329-337
69. Myers JB, Lephart SM: The role of the sensorimotor system in the athletic shoulder *Journal of athletic training* 2000;35(3):351-363

70. Shimura K, Kasai T: Effects of proprioceptive neuromuscular facilitation on the initiation of voluntary movement and motor evoked potentials in upper limb muscles. *Human movement science* 2002;21(1):101-113
71. Youdas JW, Adams KE, Bertucci JE, Brooks KJ, Steiner MM, Hollman JH. Magnitudes of gluteus medius muscle activation during standing hip joint movements in spiral-diagonal patterns using elastic tubing resistance. *Physiother. Theory Pract.* 2015;31(6):410-7.
72. Youdas JW, Arend DB, Extrom JM, Helmus TJ, Rozeboom JD, Hollman JH. Comparison of muscle activation levels during arm abd. in the plane of the scapula vs PNF upper extr. Patterns. *Journal of Strength and Conditioning Research* 2012 (26) 4, 1058-1065
73. Witt D, Talbott N, Kotowski S: Electromyographic activity of scapular muscles during diagonal patterns using elastic resistance and free weights. *International Journal of Sports Physical Therapy* 2011;6(4):322- 332

Irradiation

74. Abreu R, Lopes AA, Sousa AS, Pereira S, Castro MP. Force irradiation effects during upper limb diagonal exercises on contralateral muscle activation. *J Electromyogr Kinesiology*. 2015; 25 (2):292-297
75. Arai M, ea : Effects of the use of cross-education to the affected side through various resistive exercises of the sound side and settings of the length of the affected muscles. *Hiroshima journal of medical science* 2001 (3):65-73
76. Barss TS, Pearcey GEB, Zehr EP. Cross-education of strength and skill: an old idea with applications in the aging nervous system *Yale Journal of Biology and Medicine* 2016;89:81-86.
77. Carroll GTJ, Herbert RD, Munn J, Lee M. Gandavia SC. Contralateral effects of unilateral strength training. Evidence and possible mechanisms. *J Appl Physiol* 2006;101(5):1514-1522
78. Chiou SY, Wang RY, Liao KK, Yang YR: Facilitation of the lesioned motor cortex during tonic contraction of the unaffected limb corresponds to motor status after stroke. *JNPT*. 2016; 40: 15-21
79. Dionisio VC, Baptista CRdJA, de Sales Rodrigues A, Sande de Souza LAP. Is it possible to stabilize the trunk using rhythmic stabilization in the upper limb? A cross-sectional study of asymptomatic individuals, *Journal of Manual & Manipulative Therapy*,2018; 26:4, 212-217, DOI:10.1080/10669817.2018.1467994
80. Gontijo LB, Pererla PD, Neves CDC, Santos AP, Castro Dutra Machado D, Vale Bastos, VH. Evaluation of Strength and Irradiated Movement Pattern Resulting from Trunk Motions of the Proprioceptive Neuromuscular Facilitation. *Rehabilitation Research and Practice Volume 2012, Article ID 281937, 6 pages*
doi:10.1155/2012/281937
81. Hendy AM; Spittle M; Kidgell DJ Cross education and immobilisation: mechanisms and implication for injury rehabilitation. *Journal of Science and Medicine in Sport* 2012(15) 94–101
82. Hwang YI, Park DJ. Comparison of abdominal muscle activity during abdominal drawing-in maneuver combined with irradiation variations. *J Exerc Rehabil*. 2017 Jun 30;13(3):335-339
83. Oliveira Ferro de JK, Martins JVP, Cunha Melo Ribeiro BR, et al. oblique muscles during the execution of pelvic patterns of proprioceptive neuromuscular facilitation 2021. *Avanços em Medicina* 2021, *Published online* e-ISSN 2676-0347 ADOI: 10.52329/AvanMed.6

84. Kofotolis ND, Kellis E: Cross-training effects of a Proprioceptive neuromuscular facilitation exercise programme on knee musculature. *Physical Therapy in Sport* 2007;8(3):109–116
85. Lee M, Gandevia SC, Carroll TJ. Unilateral strength training increases voluntary activation of the opposite untrained limb. *Clinical Neurophysiology* 2009 (120) 802-808
86. Lee M, Carroll TJ. Cross Education Possible Mechanisms for the Contralateral Effects of Unilateral Resistance Training. *Sports medicine* 2007; 37 (1) 1-14
87. Mastalerz A, Wozniak A, Urbaniak C, Lutoslawska G. Contralateral effects after *McBiomechanics* 2010, 12,(2) 1-7
88. Munn J, Herbert RD, Gandevia SC. Contralateral effects of unilateral resistance training a meta analysis. *J.Appl Physiol* 2004 (96):1861-1866
89. Oliveira KCR et al. Overflow using proprioceptive neuromuscular facilitation in post-stroke hemiplegics: A preliminary study. *Journal of Bodywork & Movement Therapies* 2019 (23):399-404
90. Reznik JE, Biros E, Bartur G. An electromyographic investigation of the pattern of overflow facilitated by manual resistive proprioceptive neuromuscular facilitation in young healthy individuals: a preliminary study. *Physiother Theory Pract.* 2015 Nov;31(8):582-6
91. Sato H, Maruyama H: The effects of indirect treatment of PNF. *J. Physical therapy science* 2009, 21, 189-193
92. Shima N et al. Cross education of muscular strength during unilateral resistance training and detraining. *Eur JAppl Physiol* 2002 (86): 287–294
93. Shiratani T, Arai M, Kuruma H, Masumoto K. The effects of opposite-directional static contraction of the muscles of the right upper extremity on the ipsilateral right soleus H-reflex. *J Bodyw Mov Ther.* 2017;21(3):528-533.
94. Youdas JW , Adams KE, Bertucci JE, Brooks KJ, Steiner MM, Hollman JH. Magnitudes of gluteus medius muscle activation during standing hip joint movements in spiral-diagonal patterns using elastic tubing resistance *Physiother Theory Pract,* 2015; 31(6): 410–417
95. Zhou S. Cross education and neuromuscular adaptations during early stage of strength training. *Journal of exercise science and Fitness* 2003 (1) 54-60

Summation

96. Da Silva LG, Lummertz CA, Lopes Pedralli M, Rigon F. Visual and verbal summation enhance muscle output in young female subjects. *CEP ULBRA* 2011 436H.
97. Silva et al.: Verbal and visual stimulation effects on rectus femoris and biceps femoris muscles during isometric and concentric. *International Archives of Medicine* 2013 6:38.
98. Mahoney JR, Clara Li PC, Park MO, Verghese J, Holtzer R, Multisensory integration across the senses in young and old adults. *Brainresearch* 2011;1426; 43–53
99. Urbenjaphol P, Jitpanya C, Khaorophum S. Effects of the Sensory Stimulation Program on Recovery in Unconscious Patients With Traumatic Brain Injury. *Journal of Neuroscience Nursing* 2009;41(3):10-16.

Techniques

Replication

100. Magarey ME, Jones MA. Dynamic evaluation and early management of altered motor control around the shoulder complex. *Manual Therapy* 2003;8(4):195-206

Stretch at beginning of range

101. Shimamoto Y, Suzuki M, Mikhailenko SV, Yasuda K, Ishiwata S. Inter-sarcomere coordination in muscle revealed through individual sarcomere response to quick stretch. *PNAS* 2009 106(29) 11954-11959

Dynamic reversals

102. Kamimura, T., Yoshikioka, K., Ito, S., & Kusakabe, T. Increased rate of force development of elbow flexors by antagonist conditioning contraction. *Human Movement Science* 2009;28(4): 407-414.
103. Gabriel DA, Basford J, An K-N. The reversal of antagonists facilitates the peak rate of tension development. *Arch Phys Med Rehab* 2001

Stabilizing reversals + Rhythmic stabilization

104. Kim JJ, Park SY Immediate effects of the trunk stabilizing exercise on static balance parameters in double-leg and one-leg stances. *J. Phys. Ther. Sci.* 2016;28:1673–75

Hold and Contract Relax

105. Akbulut, T and Agopyan, A. Effects of an Eight-Week Proprioceptive Neuromuscular Facilitation Stretching Program on Kicking Speed and Range of Motion in Young Male Soccer Players. *J Strength Cond Res* 2015; 29(12):3412–23. DOI:0.1519/JSC.000000000000101
106. Avela J, Finni T, Liikavainio T, Niemelä E, Komi PV. Neural and mechanical responses of the triceps surae muscle group after 1 h of repeated fast passive stretches *J Appl Physiol* 2004;96(6):2325-2332.
107. AzevedoDC, MeloRM, Alves Coreia RV, Chalmers G. Uninvolved versus target muscle contraction during contract-relax proprioceptive neuromuscular facilitation stretching. *Physical Therapy in Sport* 2011;12:117- 121
108. Behm DG, et al. Acute effects of muscle stretching on physical performance, range of motion, and injury incidence in healthy active individuals: a systematic review. *Appl Physiol Nutr Metab.* 2016;41(1):1-11
109. Bonnar BP, Deivert RG, Gould TE: The relationship between isometric contraction durations during hold-relax stretching and improvement of hamstring flexibility. *Journal sports medicine and physical fitness* 2004 (3) 258-261
110. Borges MO, Medeiros DM, Minoto BB: Comparison between static stretching and proprioceptive neuromuscular facilitation on hamstring flexibility: systematic review and meta-analysis. *European journal of physiotherapy* 2018; 20(1): 12-19, doi.org/10.1080/21679169.2017.1347708
111. Bradley PS, Olsen PD, Portas MD: The effect of static, ballistic and PNF stretching on vertical jump performance *Journal of strength and conditioning research* 2007;21(1): 223-226

112. Cayco CS, Labro AV, Gorgon EJ. Hold-relax and contract-relax stretching for hamstrings flexibility, a systematic review with meta-analysis. *Physical Therapy in Sport* 2019;35:42-55
113. Carter AM, Kinzey SJ, Chitwood LF, Cole JL: PNF decreases muscle activity during the stretch reflex in selected posterior thigh muscles. *Journal of sport rehabilitation* 2000 (9) 269-278
114. Chalmers G: Re-examination of the possible role of Golgi tendon organ and muscle spindle reflexes in proprioceptive neuromuscular facilitation muscle stretching. *Sports biomechanics* 2004;3(1):159-183
115. Chow TPY, Ng GYF. Active, passive and proprioceptive neuromuscular facilitation stretching are comparable in improving the knee flexion range in people with total knee replacement: a randomized controlled trial. *Clinical Rehabilitation* 2010; 24: 911–918
116. Church JB, Wiggins MS, Moode FM, Crist R: Effect of warm-up and flexibility treatments on vertical jump performance *Jo. Strenght cond. Research* 2001;15(3):332-336
117. Davis DS, Ashby PE, Mc Cale KL, Mc Quain JA, Wine JM: The effectiveness of 3 stretching techniques on hamstring flexibility using consistent stretching parameters. *Journal of strength and conditioning research* 2005;19(1):27-32.
118. Deccicco PV, Fisher FM: The effects of proprioceptive neuromuscular facilitation stretching on shoulder range of motion in overhand athletes. *Journal of sports medicine and physical fitness* 2005;45(2):183-187.
119. Feland JB, Marin HN: Effect of sub maximal contraction intensity in contract-relax proprioceptive neuromuscular facilitation stretching. *British journal of sports medicine* 2004;38(4)e18
120. Ferber R, Gravelle DC, Osternig LR. Effect of PNF stretch techniques on trained and untrained older adults. *Journal of aging and physical activity* 2002;10(2) 132-142
121. Ferber R, Osternig LR, Gravelle DC: Effect of PNF stretch techniques on knee flexor muscle EMG activity in older adults. *Journal of electromyography and kinesiology* 2002;12(5):391-397
122. Funk DC, Swank AM, Mikla BM, Fagan TA, Farr BK: Impact of prior exercise on hamstring flexibility: a comparison of proprioceptive neuromuscular facilitation and static stretching. *Journal of strength and conditioning research* 2003;17(3):489-492
123. Godges JJ, Matsen-Bell M, Thorpe D, Shah D: The immediate effects of soft tissue mobilization with proprioceptive neuromuscular facilitation on glenohumeral external rotation and overhead reach. *Journal of orthopedics sports and Physical Therapy* 2003;33(12):713-718
124. Hindle KB, Whitcomb TJ, Briggs WO, Hong J. Proprioceptive Neuromuscular Facilitation (PNF): Its Mechanisms and Effects on Range of Motion and Muscular Function. *Journal of Human Kinetics* 2012;31(1):105-113
125. Kay AD, Dods S, Blazeovich AJ. Acute effects of contract-relax (CR) stretch versus a modified CR technique. *Eur J Appl Physiol.* 2016;116(3): 611-21
126. Konrad A, Stafilidis S, Tilp M. Effects of acute static, ballistic, and PNF stretching exercise on the muscle and tendon tissue properties. *Scand J Med Sci Sports* 2016;.:: ..-. doi: 10.1111/sms.12725
127. Kwak DH, Ryu YU. Applying proprioceptive neuromuscular facilitation stretching: optimal contraction intensity to attain the maximum increase in range of motion in young males. *J Phys Ther Sci.* 2015;27(7):2129-32

128. Lempke L, Wilkinson R, Murray C, Stanek J. The Effectiveness of PNF Versus Static Stretching on Increasing Hip-Flexion Range of Motion. *Journal of Sport Rehabilitation*, 2018; 27:289-294
129. Lim W. Optimal intensity of PNF stretching: maintaining the efficacy of stretching while ensuring its safety. *J. Phys. Ther. Sci.* 2018; 30: 1108–1111
130. Marek SM et al: Acute effects of static and PNF stretching on muscle strength and power output. *Journal of athletic training* 2005;40(2):94-103
131. Mahieu NN, Cools A, De Wilde , Boon M, Witvrouw E: Effect of PNF stretching on the plantar flexor muscle-tendon tissue properties. *Scandinavian journal of medicine & science in sports* 2009 (19) 4,553-560
132. Medeiros DM, Martini TF. Chronic effect of different types of stretching on ankle dorsiflexion range of motion: Systematic review and meta-analysis. *Foot (Edinb)*. 2017 ;34:28-35.
133. Moore MA, Kulkulka CG: Depression of Hoffmann reflexes following voluntary contraction and implications for proprioceptive neuromuscular facilitation therapy. *Physical Therapy* 1991;71(4):321-329; discussion 329-33.
134. Moyano FR, Valenza MC, Martin L M, Caballero YC, Jimenez EG, Demet GV Effectiveness of different exercises and stretching physiotherapy on pain and movement in patellofemoral pain syndrome: a randomized controlled trial. *Clinical Rehabilitation* 2012 27(5):409– 417
135. O'Hora J, Cartwright A, Wade CD, Hough AD, Shum GLK: Efficacy of static stretching and PNF stretch on hamstrings length after a single session. *Journal of Strength and Conditioning Research* 2011;25 (6) 1586-91
136. Olivo SA, Magee DJ: Electromyographic assessment of the activity of the masticatory using the agonist contract – antagonist relax technique (AC) and contract – relax technique (CR). *Manual therapy* 2006;11(2):136-145
137. Rees SS, Murphy AJ, Watsford ML, McLachlan KA, Coutts AJ: Effects of PNF stretching on stiffness and force producing characteristics of the ankle in active women. *Journal of strength and conditioning research* 2007;21(2):572-577
138. Rowlands AV, Marginson VF, Lee J: Chronic flexibility gains: effect of isometric contraction duration during proprioceptive neuromuscular facilitation stretching techniques. *Research Quarterly Exercise and sports* 2003;74(1):47-51.
139. Surburg PR, Schrader JW. Proprioceptive Neuromuscular Facilitation techniques in Sports Medicine. A re assessment. *Journal of Athletic Training* 1997;32 (1) 34-39
140. Schuback B, Hooper J, Salisbury L: A comparison of a self stretch incorporating PNF components and a therapist applied PNF technique on hamstring flexibility. *Physiotherapy* 2004;90(3):151-157
141. Sharman MJ, Cresswell AG, Riek S: Proprioceptive Neuromuscular Facilitation Stretching, mechanisms and clinical implications. *Sports Med* 2006;36(11):929-939
142. Wanderley D, Lemos E, Moretti E et al. Efficacy of proprioceptive neuromuscular facilitation compared to other stretching modalities in range of motion gain in young healthy adults: A systematic review, *Physiotherapy Theory and Practice* 2018;35(2):109-129, DOI:10.1080/09593985.2018.1440677
143. Weerapong P, Hume PA, Kolt GS: Stretching: mechanisms and benefits for sport performance and injury prevention. *Physical Therapy Reviews* 2004;9(4):189-206
144. Wenos DL, Konin JG: Controlled warm-up intensity enhances hip range of motion. *Journal of strength and conditioning research* 2004;18(3):529-533

145. Youdas JW, Haeflinger KM, Kreun MK, Holloway AM, Kramer CM, Hollman JH: The efficacy of two modified PNF stretching techniques in subjects with reduced hamstring muscle length. *Physiotherapy Theory and Practice* 2010; 26(4): 240-250

Rehab topics

Vital functions

146. Areas GPT, Silva AB, Lobato AN, Silva AA, Friere jr RC, Areas FZS. Effect of upper extremity proprioceptive neuromuscular facilitation combined with elastic resistance bands on respiratory muscle strength: a randomized control trial. *Braz J Phys Ther.* 2013; 17(6):541-546
147. Bujar- Misztal M, Chcialowski A. Influence of PNF on lung function in patients after coronary artery bypass graft surgery. *Adv Exp Med Biol.* 2018;3: 11–17 https://doi.org/10.1007/5584_2018_243
148. Cornelius WL, Jensen RL, Odell ME: Effects of PNF stretching phases on acute arterial blood pressure. *Can. Jo. Appl Physiology* 1995;20(2):222-229
149. De Souza RJP, Brandão DC, Martins JV, Fernandes J, Dornelas De Andrade A. Addition of proprioceptive neuromuscular facilitation to cardiorespiratory training in patients poststroke: Study protocol for a randomized controlled trial. *Trials* 2020;21:1–9. <https://doi.org/10.1186/s13063-019-3923-1>.
150. Ha KJ, Lee SY, Lee H, Choi SJ. Synergistic Effects of Proprioceptive Neuromuscular Facilitation and Manual Lymphatic Drainage in Patients with Mastectomy-Related Lymphedema. *Front Physiol.* 2017 Nov 28;8:959.
151. Liu K, Yu X, Cui X, Su Y, Sun L, Yang J, et al. Effects of proprioceptive neuromuscular facilitation stretching combined with aerobic training on pulmonary function in copd patients: A randomized controlled trial. *Int J COPD* 2021;16:969–77. <https://doi.org/10.2147/COPD.S300569>.
152. Mohamed RA, Mohamed ESH, Habsy SM, Aly SM. Impact of two different pulmonary rehabilitation methods in children with down syndrome. *J Bodyw Mov Ther* 2021;27:512–21. <https://doi.org/10.1016/j.jbmt.2021.04.009>.
153. Nitz J, Burke B. A study of the facilitation of respiration in myotonic dystrophy. *Physiotherapy research international* 2002;7(4):228-238
154. Pyszora A, Budzinsky J, Wojcik A, Prokop A, Krajnik M. Physiotherapy programme (PNF) reduces fatigue in patients with advanced cancer receiving palliative care RCT. *Support Care Cancer* 2017;25:2899–2908
155. Sayaca C, Serel-Arslan S, Sayaca N, Demir N, Somay G, Kaya D, et al. Is the proprioceptive neuromuscular facilitation technique superior to Shaker exercises in swallowing rehabilitation? *Eur Arch Oto-Rhino-Laryngology* 2020;277:497–504. <https://doi.org/10.1007/s00405-019-05772-3>.
156. Slupska L, Halski T, Zytkeiwicz M et al. Proprioceptive Neuromuscular Facilitation for Accessory Respiratory Muscles Training in Patients After Ischemic Stroke. *Adv Exp. Medicine, Biology - Neuroscience and Respiration* 2019, PP 81-91 https://doi.org/10.1007/5584_2018_325
157. Souza RJP, Brandao DC, Martins JV. Addition of proprioceptive neuromuscular facilitation to cardiorespiratory training in patients post stroke: study protocol for a randomized controlled trial. *Trials* 2020; 21:184, doi.org/10.1186/s13063-019-3923-1

Transfers and mat progression

158. Barros Ribeiro Cilento M: Evaluation of the efficacy of train protocols of the sit to stand movement. *Fisioterapi Brasil* 2006 (6)
159. Hoogenboom BJ, Voight ML. Rolling Revisited: Using Rolling to Assess and Treat Neuromuscular Control and Coordination of the Core and Extremities of Athletes. *Int J Sports Phys Ther.* 2015;10(6):787-802
160. Klein DA, Stone WJ, ea. PNF training and physical function in assisted living older adults. *Journal of aging and physical activity* 2002 (10) 476-488.
161. Richter RR, VanSant AF, Newton RA: Description of Adult Rolling Movements and Hypothesis of Developmental Sequences *Physical Therapy* 1989; 69:63-71
162. Santos de Britto VL, Correa R, Vincent MB: Proprioceptive neuromuscular facilitation in HTLV – I – associated myelopathy/tropical spastic paraparesis. *Rev Soc Bras Med Trop.* 2014; 47(1): 24-29
163. Szafraniec R, Chromik K, Poborska A, Kawczyński A. Acute effects of contract-relax proprioceptive neuromuscular facilitation stretching of hip abductors and adductors on dynamic balance. *PeerJ* 2018;2018:1–12. <https://doi.org/10.7717/peerj.6108>.
164. Teixeira de Carvalho F, de Andrade Mesquita LS, Pereira R, Neto OP, Amaro Zangaro R. Pilates and Proprioceptive Neuromuscular Facilitation Methods Induce Similar Strength Gains but Different Neuromuscular Adaptations in Elderly Women. *Exp Aging Res.* 2017;43(5):440-452
165. Wong YH, Cheung KW, KoYC, Tse HC, Law YL, Hwang SS, Ngai PC. Effect of a 4-week Theraband Exercise with PNF Pattern on Improving Mobility, Balance and Fear of Fall in Community-Dwelling Elderly *J Korean Soc Phys Med,* 2017; 12(4): 73-82

Gait

166. Anjum H, Amjad I, Malik AN. Effectiveness of PNF techniques as compared to traditional strength training in gait training among transtibial amputees. *Journal of the College of Physicians and Surgeons Pakistan* 2016, Vol. 26 (6): 503-506
167. Alexandre de Assis IS, Luvizutto GJ, Bruno ACM, Sande de Souza LAP. The Proprioceptive Neuromuscular Facilitation Concept in Parkinson Disease: A Systematic Review and Meta-Analysis. *J Chiropr Med* 2020;19:181–7. <https://doi.org/10.1016/j.jcm.2020.07.003>.
168. Caplan N, Rogers R, Parr MK, Hayes PR: The effect of PNF and static stretch training on running mechanics. *J of Strength and Conditioning Research* 2009 23 (4) 1175-1180
169. Choughley A, Soomro N, Yamin F et al. Efficacy of Cryotherapy v/s Thermotherapy with PNF Technique in Improving Hemiplegic Gait. *Indian Journal of Physiotherapy and Occupational Therapy.* 2016;10(1):114-119
170. Jaczewska-Bogacka J, Stolarczyk A. Improvement in Gait Pattern After Knee Arthroplasty Followed by Proprioceptive Neuromuscular Facilitation Physiotherapy *Clinical and Experimental Biomedicine; Rehabilitation Science in Context* 2018: 1-9
171. Lacquaniti F, Ivanenko YP, Zago M: Patterned control of human locomotion. *J Physiol* 2012 590 (10) 2189–2199
172. Mirek e, ea. Przydatność trójwymiarowej analizy lokomocji dla usprawniania ruchowego metoda PNF chorych na chorobe Parkinsona. *Neurol. Neurochir. Poland* 2003;37 suppl (5) 89-102

173. Mirek E, et al. The effects of physiotherapy with PNF concept on gait and balance of patients with Huntington's disease - pilot study. *Neurol Neurochir Pol.* 2015;49(6):354-7
174. Reichel HS PNF: Gangschulung. *Sportverletzung, sportschaden 1996 (10) A11-A20*
175. Sahay P, et al., Efficacy of proprioceptive neuromuscular facilitation techniques versus traditional prosthetic training for improving ambulatory function in transtibial amputees, *Hong Kong Physiotherapy Journal, 2013*
176. Yigiter K, Sener G, Erbahceci F, Bayar K, Ülger ÖG, Akodogan S: A comparison of traditional prosthetic training versus PNF resistive gait training with trans-femoral amputees. *Prosthetics and orthotics international 2002 (26) 213-217*

Stroke

177. Almeida De PM. et al. Hands-on physiotherapy interventions and stroke and ICF outcomes, a systematic review 2015 *European Journal of Physiotherapy, 2015; 17: 100–115*
178. Bhalariao G, Shah H, Bedekar N et al. Perspective of Neuro Therapeutic Approaches Preferred for Stroke Rehabilitation by Physiotherapists *Indian Journal of Physiotherapy and Occupational Therapy.2016;10 (1):47-50*
179. Chaturvedi P et al. Post-stroke BDNF concentration changes following proprioceptive neuromuscular facilitation (PNF) exercises. *J Family Med Prim Care.* 2020 Jul; 9(7): 3361–3369.
180. Choi YK, Nam CW, Lee JH, Park YH. The Effects of Taping Prior to PNF Treatment on Lower Extremity Proprioception of hemiplegic Patients *J. Phys. Ther. Sci.* 2013;25(9);1119–1122
181. Duncan P et al. A Randomized, controlled pilot study of a home – based exercise program for individuals with mild and moderate stroke. *Stroke 1998;29(10): 2055-2060*
182. Duncan P et al. RCT of therapeutic exercise in subacute stroke. *Stroke 2003;34(9):2173-2180*
183. Ernst E: A review of stroke rehabilitation and physiotherapy. *Stroke 1990;21(7):1081-1085*
184. Gunning E Uszynski MK. Effectiveness of the PNF method on gait parameters in patients with stroke. *Arch of Phys Med and Reh 2019;100(5):980–986*
185. Guia-Tula FX et al. The efficacy of the PNF approach in stroke rehab. study protocol *BMJ Open 2017;7:1-5*
186. Hwangbo PN, Kim KD. Effects of proprioceptive neuromuscular facilitation neck pattern exercise on the ability to control the trunk and maintain balance in chronic stroke patients. *J. Phys. Ther. Sci.* 2016;28(3):850–853
187. Khanal D, Singaravelan M, Khatri KM. Effectiveness of Pelvic Proprioceptive Neuromuscular Facilitation Technique on Facilitation of Trunk Movement in Hemiparetic Stroke Patients. *Journal of Dental and Medical Sciences 2013;3(6):29-37*
188. Kraft GH, Fitts SS, Hammond MC: Techniques to improve function of the arm and hand in chronic hemiplegia. *Arch. Phys. Med. Rehabilitation 1992;73(3):220-227*
189. Kumar, S, Kumar A. Kaur J. Effect of PNF Technique on Gait Parameters and Functional Mobility in Hemiparetic Patients. *Journal of Exercise Science and Physiotherapy, 2012;8(2): 67-73*
190. Luke C, Dodd KJ, Brock K: Outcomes of the Bobath concept on upper limb recovery following stroke. *Clinical Rehabilitation 2004;18(8):888-898*

191. de Oliveira, K.C.R., et al., Overflow using proprioceptive neuromuscular facilitation in post-stroke hemiplegics: A preliminary study, *Journal of Bodywork & Movement Therapies* 2019;23(2):399-404, <https://doi.org/10.1016/j.jbmt.2018.02.011>
192. Park Se, Oh DS, Moon SH. Effects of oculo-motor exercise, functional electrical stimulation and proprioceptive neuromuscular stimulation on visual perception of spatial neglect patients. *J. Phys. Ther. Sci.* 2016;28(4):1111–15
193. Park SI, Moon SH. Effects of trunk stability exercises using PNF with change in chair height on the gait of patients who had a stroke *J. Phys. Ther. Sci.* 2016;28(7):2014–18
194. Pohl M, Mehrholz J, Ritschel C, Rückriem S: Speed dependent treadmill training in ambulatory hemiparetic stroke patients : A RCT. *Stroke* 2002;33(2):553-558
195. Ribeiro T, Britto H, Oliveira D, Silva E, Galvio E, Lindquist A. Effects of treadmill training with partial body weight support and the proprioceptive neuromuscular facilitation method on hemiparetic gait: a comparative study. *European Journal of Physical and Rehabilitation Medicine* 2013;49(4):451-61
196. Ribeiro TS, et al. Effects of training program based on the PNF method on post stroke motor recovery- a preliminary study. *Journal of Bodywork & Movement Therapies.* 2014;18(4):526-532.
197. Sharma V, Kaur J. Effect of core strengthening with pelvic proprioceptive neuromuscular facilitation on trunk, balance, gait, and function in chronic stroke. *Journal of Exercise Rehabilitation* 2017;13(2):200-205.
198. Shim J et al. Effects of EMG-triggered FES during trunk pattern in PNF on balance and gait performance in persons with stroke. *Restorative Neurology and Neuroscience* 2020; x–xx, doi 10.3233/RNN-190944
199. Stephenson JB, Maitland ME, Beckstead JW, Anemeat WK. Locomotor training on a treadmill compared with PNF in chronic stroke. *Technology and Innovation,* 2014;15:325–332
200. Wang RY. The effect of proprioceptive neuromuscular facilitation in case of patients with hemiplegia of long and short duration. *Physical Therapy* 1994;74(12):25-32
201. Wolny T, Saulicz E, Gnat R, Kokosz M. Butler’s neuromobilizations combined with proprioceptive neuromuscular facilitation are effective in reducing of upper limb sensory in late-stage stroke subjects: a three-group randomized trial. *Clinical Rehabilitation* 2010;24(9):810–821\
202. Zhou Z, Zhou Y, Wang N, Gao F, Wei K, Wang Q. A PNF integrated robotic ankle-foot system for post stroke rehab. *Robotics and Autonomous Systems* 2015;73:111–122
203. Zhou Z, Sun Y, Wang N, Gao F, Wei K, Wang Q. Robot-assisted rehabilitation of ankle plantar flexors spasticity: A 3month study with proprioceptive neuromuscular facilitation. *Front Neurobot* 2016;10:1–14. <https://doi.org/10.3389/fnbot.2016.00016>.

Musculoskeletal issues eg (Chronic) Spine pain (cervical - / Thoracal - / Low Back Pain) extremities issues eg (impingement syndromes etc)

204. Alaca N, et al. Comparison of the long-term effectiveness of progressive neuromuscular facilitation and continuous passive motion therapies after total knee arthroplasty. *J Phys Ther Sci.* 2015 Nov;27(11):3377-80

205. Anggiat L, Hon WHC, Sokran SNBBM. Comparative effect of PNF and McKenzie method on pain in NSLBP among university population. *IJMAES* 2018;4(3): 475-485,
206. Areudomwong P, Butttagat V. Proprioceptive neuromuscular facilitation training improves pain-related and balance outcomes in working-age patients with chronic low back pain: a randomized controlled trial *Braz. J Phys Ther.* 2018
- a. Smedes F, Shin S, Giacometti da Silva L Incorrect use of proprioceptive neuromuscular facilitation-techniques and principles, a response to: Proprioceptive neuromuscular facilitation training improves pain-related and balance outcomes in working-age patients with chronic low back pain: a randomized controlled trial *Braz. J Phys Ther* 2019; 23 (3):273-274
207. Areudomwong P, Butttagat V. Comparison of core stabilisation exercise and proprioceptive neuromuscular facilitation training on pain-related and neuromuscular response outcomes for chronic low back pain: a randomized controlled trial. *Malays J Med Sci.* 2019; 26(6): 77–89.
208. Balci NC, Yuruk ZO, Zeybek A, Gulsen M, Tekindal MA. Acute effect of scapular proprioceptive neuromuscular facilitation (PNF) techniques and classic exercises in adhesive capsulitis: a randomized controlled trial. *J. Phys. Ther. Sci.* 2016;28(4):1219–1227
209. Birinici T, Ozdincler AR, AltunS, Kural C. A structured exercise programme combined with proprioceptive neuromuscular facilitation stretching or static stretching in posttraumatic stiffness of the elbow: a randomized controlled trial. *Clinical Rehabilitation* 2019;33(2):241-252
210. Chagas AC de S, Wanderley D, Barboza PJM, Martins JVP, de Moraes AA, de Souza FHM, et al. Proprioceptive neuromuscular facilitation compared to conventional physiotherapy for adults with traumatic upper brachial plexus injury: A protocol for a randomized clinical trial. *Physiother Res Int* 2021;26:1–9. <https://doi.org/10.1002/pri.1873>.
211. Comel JC, Nery RM, Garcia EL, Bueno C, Silveira E, Zarantonello MM, Stefani MA. A comparative study on the recruitment of shoulder stabilizing muscles and types of exercises. *Journal of Exercise Rehabilitation* 2018;14(2):219-225
212. Dhaliwal MK, Amandeep, Jagmohan, Manjeet. To compare the effect of PNF and core stabilizing exercises for Decreasing Pain And Improving Functions In Patients With Low Back Pain. *Journal of Sports and Physical Education* 2014;1(5): 29-35
213. Epifanov VA, Shuliakovskii V V: The rehabilitative therapy of patients with osteochondrosis of the cervical spine and manifestations of hyper mobility by means of therapeutic physical exercise. *Vopr Kurortol Fizioter Lech Fiz Kult* 2000 (1):8-11.(Russian)
214. Franklin CVJ et al. Effectiveness of PNF Training for Chronic Low Back Pain. *Journal of Nursing and Health Science* 2013;2(4):41-52
215. Hosseinifar M, Akbari A, Ghiasi F, Shamsaldini N, Shahraki R. The Effects of Proprioceptive Neuromuscular Facilitation Exercises on Pain , Function , Lumbar Mobility , and Lumbar Lordosis in Patients with Non-Specific. *J Pharm Res Allied Sci* 2016;5:250–61.
216. Hwang M, Lee S, Lim C. Effects of the proprioceptive neuromuscular facilitation technique on scapula function in office workers with scapula dyskinesia. *Med* 2021;57. <https://doi.org/10.3390/medicina57040332>.
217. Jadeja T, Vyas N, Sheth M. Effect of PNF on back muscle strength and pain and quality of life in subjects with CLBP *Int J Physiother.* 2015; 2(5): 778-785

218. Jain AS, Anandh S, Pawar A. Effectiveness of proprioceptive neuromuscular facilitation as an adjunct to eccentric exercises in subacromial impingement. *Indian Journal of Physiotherapy and Occupational Therapy* 2017;11(2): 141 - 146.
219. Johnson GS, Johnson VS. The application of the principles and procedures of PNF for the care of lumbar spinal instabilities. *The Journal of manual and Manipulative therapy* 2002;10(2):83-105
220. Kim BR, Lee HJ. Effects of proprioceptive neuromuscular facilitation-based abdominal muscle strengthening training on pulmonary function, pain, and functional disability index in chronic low back pain patients. *J Exerc Rehabil.* 2017 Aug 29;13(4):486-490
221. Kim JJ, Lee SY, Ha K. The effects of exercise using PNF in patients with a supra spinatus muscle tear. *J. Phys. Ther. Sci.*2015;27(8):2443–6
222. Kofotolis N, Eleftherios K: Effects of two 4-week PNF programs on muscle endurance, flexibility, and functional performance in women with CLBP. *Physical Therapy* 2006;86(7) 1001-1012
223. Lazarou L, Kofotolis N, Pafis G, Kellis E. Effects of two proprioceptive training programs on ankle range of motion, pain, functional and balance performance in individuals with ankle sprain. *J Back Musculoskelet Rehabil.* 2018;31(3):437-446.
224. Maicki T, Trabka R, Szwarczyk W, Wilk Franczuk M, Figura B. Analysis of therapy results in patients with cervical spine pain according to PNF concept and elements of manual therapy. *MEDSPORTPRESS, 2012; 3(4);12, 263-273*
225. Maicki T, Bilski J, Szczygiel E, Trabka R. PNF and manual therapy treatment results of patients with cervical spine osteoarthritis. *J Back Musculoskelet Rehabil.*2017;30(5):1-7
226. Mavromoustakos S, Beneka A, Malliou V, Adamidis A, Kellis E, Kagiaoglou A. Effects of a 6-week Proprioceptive Neuromuscular Facilitation Intervention on pain and disability in individuals with chronic low back pain. *Journal of Physical Activity, Nutrition and Rehabilitation, 2015:1(1):1-13*
227. Mowafy ZME, Sharkawy AGE, Fouda BM. Proprioceptive neuromuscular facilitation and irtual reality for improving hand functions post reconstructive surgeries. *Bioscience Research, 2019;16(2):1085-1093*
228. Nakra N, Quddus N, Khan S, Kumar S, Meena R. Efficacy of proprioceptive neuromuscular facilitation on shoulder function in secondary shoulder impingement. *International Journal of Therapy and Rehabilitation.* 2013;20(9):450-458
229. Nellutla M, Giri P. Comparative Study between Efficacy of PNF Movement Patterns Versus Conventional Free Exercises on Functional Activities Among Patients with Chronic Peri-Arthritis of Shoulder. *Indian Journal of Physiotherapy and Occupational Therapy.* 2011;.5(3):62-67
230. Olędzka M, Jaczewska-Bogacka J. Effectiveness of Proprioceptive Neuromuscular Facilitation (PNF) in Improving Shoulder Range of Motion. A Pilot Study. *Ortop Traumatol Rehabil.* 2017;19(3):285-292.
231. Schneider F, Laps K, Wagner S: Chronic patello femoral pain syndrome: alternatives for cases of therapy resistance. *Knee surgery sports traumatology arthroscopy* 2001 Sep;9(5):290-295
232. Pourahmadi M, Sahebalam M, Bagheri R. Effectiveness of proprioceptive neuromuscular facilitation on pain intensity and functional disability in patients with low back pain: A systematic review and meta-analysis. *Arch Bone Jt Surg* 2020;8:479–501. <https://doi.org/10.22038/abjs.2020.45455.2245>.
233. Sipko T, Glibowski E, Kuczyński M. Acute effects of proprioceptive neuromuscular facilitation exercises on the postural strategy in patients with chronic

low back pain. *Complement Ther Clin Pract* 2021;44.
<https://doi.org/10.1016/j.ctcp.2021.101439>.

234. Song, Q, Shen, P, Mao, M, Sun, W, Zhang, C, Li, L. Proprioceptive neuromuscular facilitation improves pain and descending mechanics among elderly with knee osteoarthritis. *Scand J Med Sci Sports*. 2020; 30: 1655–1663. <https://doi.org/10.1111/sms.13709>
235. Stepien A, Fabian K, Graff K, Podgurniak M, Wit A. An immediate effect of PNF specific mobilization on the angle of trunk rotation and the TPHA range of motion in adolescent girls with double idiopathic scoliosis - a pilot study, *Scoliosis and Spinal Disorders* 2017;12:29
236. Tedla JS, Sangadala DR. Proprioceptive neuromuscular facilitation techniques in adhesive capsulitis: a systematic review and meta-analysis. *J Musculoskeletal Neuronal Interact* 2019; 19(4):482-491

Face and mimics.

237. Aranha VP, Samuel AJ, Narkeesh K. Correct the smile of a child by neuromuscular facilitation technique: An interesting case report. *Int J Health Sci (Qassim)*. 2017 Apr-Jun;11(2):83-84.
238. Barbara M, Antonini G, Vestri A, Volpini L, Monini S. Role of Kabat physical rehabilitation in Bell's palsy: A randomized trial. *Acta Oto-Laryngologica*, 2010; 130: 167_172
239. Kumar C, Kaur Bagga T. Comparison between Proprioceptive Neuromuscular Facilitation and Neuromuscular Re-Education for Reducing Facial Disability and Synkinesis in Patients with Bell's palsy: A Randomized Clinical Trial. *Int J Phys Med Rehabil* 2015;3:4
240. Kumar S, Tiwari SP, Effect Of Neuromuscular Reeducation In Bilateral Facial Palsy On Patient With GBS. *Int J Physiother Res* 2014; 2(2):449-52.
241. Monini S, Iacolucci CM, Di Traglia M, Lazzarino AJ, Barbara M. Role of Kabat rehabilitation in facial nerve palsy: a randomised study on severe cases of Bell's palsy *Acta Otorhinolaryngol Ital* 2016;36:282-288
242. Namura M, Motoyoshi M, Namura Y, Shimizu N: The effect of PNF training on the facial profile. *Journal of oral science* 2008;50(1):45-51
243. Olivo SA, Magee DJ: Electromyographic assessment of the activity of the masticatory using the agonist contract – antagonist relax technique (AC) and contract – relax technique (CR). *Manual therapy* 2006;11(2):136-145
244. Olivo SA, Magee DJ: Electromyographic activity of the masticatory and cervical muscles during resisted jaw opening movement. *Journal of oral rehabilitation* 2007;34(3):184-194
245. Sardaru D, Pendefunda L. Neuro Muscular Facilitation in the re-education of functional problems in facialis paralysis. a practical approach. *Rev. Med. Chir. Soc. Med. Nat.* 2013; 117(1) 1-6

Case reports

246. Carlson M, Hadlock T: Physical Therapist Management following rotator cuff repair for a patient with postpolio syndrome, Case Report. *Physical Therapy* 2007;87(2):179-192

247. Cayco CS, Gorgon EJR, Lazaro RT. Effects of PNF facilitation on balance, strength, and mobility of an older adult with chronic stroke, a case report *Journal of Bodywork & Movement Therapies* 2017;21(4):767-774
248. Cayco CS, Gorgon EJR, Lazaro RT. Proprioceptive neuromuscular facilitation to improve motor outcomes in older adults with chronic stroke. *Neurosciences* 2019;24(1):53-60, doi: 10.17712/nsj.2019.1.20180322
249. Hwang WT, Chung SH, Chung MS, Lee KH, Kim T. Effect of proprioceptive neuromuscular facilitation D2 flexion and breathing exercises on lymphedema without a short stretch compression bandage. *J Phys Ther Sci.* 2015;27(10):3341-3
250. Jeanbart K, Tanner-Bräm C. Mobilization of the neurodynamic system using proprioceptive neuromuscular facilitation decreases pain and increases mobility in lower extremities and Spine-A case report. *J Bodyw Mov Ther* 2021;27:682–91. <https://doi.org/10.1016/j.jbmt.2021.04.010>.
251. Lee BK. Effects of the combined PNF and deep breathing exercises on the ROM and the VAS score of a frozen shoulder patient: Single case study. *J Exerc Rehabil.* 2015;11(5):276-81
252. Lee BK. Influence of the proprioceptive neuromuscular facilitation exercise programs on idiopathic scoliosis patient in the early 20s in terms of curves and balancing abilities: single case study. *J Exerc Rehabil.* 2016;12(6):567-574
253. Luterek M, Baranowski M, Zakiewicz W, Biel A, Pedizisz P: PNF based rehabilitation in patients with severe haemophilic arthropathy-case study. *Ortopedia traumatologia rehabilitacja* 2009 (11) 3, (6) 280-289
254. Morley J J, Perrault T. Chiropractic Management of Myositis Ossificans Traumatica: A Case Report *Journal of the American Chiropractic Association* 2012, 4, 16-24
255. Orsini M et al. Physical Therapy Improved Hand Function in a Patient with Traumatic Peripheral Lesion: A Case Study. *American Medical Journal* 2012;3(2): 161-168.
256. Pasiut SA, Banach M, Longawa K, Windak F: Stroke rehabilitation conducted by PNF method, with and without the application of botulinum toxin– case reports. *Medical rehabilitation* 2005 (9) 1, 15-24
257. Peteraitis T, Smedes F. Scapula motor control training with proprioceptive neuromuscular facilitation in chronic subacromial impingement syndrome: A case report. *Journal of Bodywork & Movement Therapies* 2020;24:1–7, doi.org/10.1016/j.jbmt.2020.03.005
258. Smedes F, Giacometti da Silva L. Motor learning with the PNF-concept, an alternative to CIMT in a patient after stroke; a case report. *JBMT* 2019;23:622-627. <https://doi.org/10.1016/j.jbmt.2018.05.003>
259. Smedes F, Heidmann M, Keogh J. PNF- based Gait Rehabilitation-training after a Total Hip Arthroplasty in congenital pelvic malformation; A case report. *Physiother Theory Pract* 2021;00:1–10. <https://doi.org/10.1080/09593985.2021.1955422>.
260. Smedes F, Oefentherapie met het PNF concept: een zinvolle behandelstrategie. *Fysiopraxis* 2006 (6) 22-27+ internet (Exercise therapy with the PNF concept a useful therapy strategy)
261. Smedes F, Komt een vrouw bij de fysiotherapeut. Case report. *Fysiopraxis* 2009 (1) 42-46+ internet (Comes a woman to the physiotherapist. Case report)

Spasticity

262. Bohannon RW, Smith MB. Interrater reliability of a modified Ashworth Scale of muscle spasticity. *Physical Therapy* 1987; 67; 206-207
263. Bovend'Eerd TJ, Newman M, Barker K, Dawes H, Minelli C, Wade DT. The effects of stretching in spasticity: a systematic review. *Arch Phys Med Rehabil* 2008; 89:1395-406.
264. Burridge JH, Wood DE, Hermens HJ, Voerman GE, Johnson GR, Wijck van F, Platz T, Gregoric M, Hitschcock R, Pandyan AD. Theoretical and methodological considerations in the measurement of spasticity. *Disability and Rehabilitation* 2005; 27(1/2): 69-80
265. Gracies JM. Pathophysiology of spastic paresis. I: paresis and soft tissue changes. *Muscle&Nerve* 2005;31(5):535-551
266. Li S. Spasticity, Motor Recovery, and Neural Plasticity after Stroke. *Front. Neurol.* 2017;8:120. doi: 10.3389/fneur.2017.00120
267. Lieber RL, Steinman S, Barash IA, Chambers H. Structural and functional changes in spastic skeletal muscle. *Muscle Nerve* 2004; 29; 615-627
268. Malhotra S; Pandyan AD; Rossewilliam S; Roffe C; Hermens H. Spasticity and contractures at the wrist after stroke: time course of development and their association with functional recovery of the upper limb. *Clinical Rehabilitation* 2011; 25: 184–191
269. Malhotra S, Pandyan AD, Day CR, Jones PW, Hermens H. Spasticity, an impairment that is poorly defined and poorly measured. *Clinical rehabilitation* 2009; 23: 651-658
270. Malhotra S, Cousins E, Ward A, Day C, Jones P, Roffe C, Pandyan A. An investigation into the agreement between clinical, biomechanical and neurophysiological measures of spasticity. *Clinical rehabilitation* 2008; 22; 1105-1115
271. Pandyan AD; Cameron M; Powel J; Stott DJ; Granat MH. Contractures in the post-stroke wrist: a pilot study of its time course of development and its association with upper limb recovery *Clinical Rehabilitation* 2003; 17: 88–95
272. Patrick E, Ada L. The tardieu scale differentiates contracture from spasticity whereas the Ashworth Scale is confounded by it. *Clinical rehabilitation* 2006; 20; 173-182
273. Petropoulou KB; Panourias JG; Rapidi CA; Sakas DE. The phenomenon of spasticity: a pathophysiological and clinical introduction to neuromodulation therapies. *Acta Neurochir Suppl* 2007 97(1) 137-144
274. Sheehan JL, Winzeler-Mercay U, Mudie MH. A randomized controlled pilot study to obtain the best estimate of the size of the effect of a thermoplastic resting splint on spasticity in the stroke-affected wrist and fingers. *Clinical rehabilitation* 2006;20;1032-1037.
275. Yelnik AP, Simon O, Parratte B, Gracies JM. How to clinically assess and treat muscle overactivity in spastic paresis. *J. Rehabil. Med.* 2010;42; 801-807